HW2 SST

24.0" x 14.3" x 7.1" (61.0cm x 36.3cm x 18.0cm)

- 2gal (7.57L) of hot water in a space-saving machine just 7.1" (18.03cm) wide to fit any counter
- Includes drip tray
- High quality, easy-to-clean stainless steel exterior and tank for a long, dependable life
- Fresh, hot water is always available since the HW2 is plumbed to your water line





Agency:





Specifications

Product #: 02500.0001

Finish: Stainless
Faucet: Upper

Temp. Setting: 200°F (93.333°C)

Water Access: Plumbed

Additional Features

Capacity at 60° F

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	15	1800	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

Plumbing Requirements

	r iamenig regaremente							
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)					
20-90	138-621	1/4" Male Flare Fitting	-					

CAD Drawings


2D	Revit	KLC
•		


Created on:


02/28/2017




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.










Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	7.1 in.	24.0 in.	14.3 in.	-	-	-	20.150 lbs	3.111 ft ³
Metric	18.0 cm	61.0 cm	36.3 cm	-	-	-	9.140 kgs	0.088 m³



Related Products & Accessories: HW2 SST(02500.0001)













Serving & Holding Options: HW2 SST(02500.0001) *Serving and Holding selections are currently unavailable. Please contact your sales representate.

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

