### H10X-80-240

34.4" x 24.5" x 10.2" (87.4cm x 62.2cm x 25.9cm)



- Dispenses up to 24gal (90.85L) of boiling water per hour for food prep and cleaning
- Precise temperature (212°F / 100°C) ensures consistent, high quality results
- Includes dry-plug prevention for easy installation
- Prepare large amounts of mashed potatoes, gravy, cheese sauce, gelatin, oatmeal, and many more foods

Agency:





### **Specifications**

Product #: 26300.0000
Water Access: Plumbed

Finish: Stainless
Faucet: Upper

**Temp. Setting:** 212°F (100.000°C)

### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
240	33.5	8050	No	-	-	60°F (15.5°C)	1	2	50/60

#### Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)					
20-90	138-621	1/4" Male Flare Fitting	-					

#### **CAD Drawings**


**Additional Features** 


2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on: 11/02/2018





Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	10.2 in.	34.4 in.	24.5 in.	13.6 in.	39.0 in.	27.5 in.	67.300 lbs	7.543 ft <sup>3</sup>
Metric	25.9 cm	87.4 cm	62.2 cm	34.5 cm	99.1 cm	69.9 cm	30.527 kgs	0.214 m³



# Related Products & Accessories:H10X-80-240(26300.0000)







## Serving & Holding Options: H10X-80-240(26300.0000)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

